


Cordless Metal Cutter





DCS553



Max cutting capacity

57.5_{mm}







Self-Dust Collection Box for less dust leaka



DCS553

Max work amount

125 cuts

- with BL1850B
- Carbon steel pipe of 34mm diameter with thickness of 3.2mm

Easy disposal of dust by simply opening Dust cap.

(DCS553 / DCS552)



Large depth adjusting lever



Battery fuel gauge (DCS553 or



ige

DCS553

Compact design

Overall length of the tool has been greatly shortened by relocating battery.



Predecessor Model 332mm




65_{mm} **Shortened**



ADT Automatic speed control

automatically changes the cutting mode according to load conditions for an optimum operation:
















For Various Applications





















Accessories

Tool hanger Part No. 199296-9 (DCS553 only)





T.C.T. Saw Blade

Size: 150mm x 20mm

Size: 136mm x 20m	m
SIZC. I SOITIIT X ZOIT	

Size. I Sollilli X Zollilli			Size. I Sollilli X Zollilli			
Cutting Material	No. teeth	Part No.	Cutting Material	No. teeth	Part No.	
Metal	32T	B-46296	Metal	30T	B-07319	
Thin sheet metal	52T	B-47008	Thin sheet metal	50T	B-07325	
SUS/Metal	60T	B-47014	SUS/Metal	56T	B-23117	
Aluminum	52T	B-47020	Aluminum	50T	B-40331	

Cordless Metal Cutter	DCS553 150 mm (5-7/8")		DCS552 136 mm (5-3/8") 43		
-		DCS553	DCS552		
№ Brake	Blade Diameter	150 mm (5-7/8")	136 mm (5-3/8")		
	Max Cutting Capacity	90°: 57.5 mm (2-1/4")	90°: 50.5 mm (2")		
Built-in Job Light	No Load Speed (RPM)	4,200	3,600		
71 Same 111 500 2.1911	Vibration Level	Cutting Metal: 2.5 m/s ² or less	Cutting Metal: 2.5 m/s ² or less		
Carrying Case	Sound Pressure Level	103 dB(A)	102 dB(A)		
Carrying case	Sound Power Level	114 dB(A)	113 dB(A)		
	Dimensions (L x W x H)	267x186x250 mm	348x196x203 mm		
		(10-1/2"x7-3/8"x9-7/8")	(13-3/4"x7-3/4"x8")		
	Net weight	2.8 - 3.1 kg (6.1 - 6.8 lbs.)	2.4 - 2.7 kg (5.3 - 6.0 lbs.)		
		3 ·	3 ·		
	Standard Equipment : TC	T Saw Blade, Hex Wrench, Safety C	Goggles, Battery, Charger		